Author Index

Afrane, B., see El-Yazigi, A. 690(1995)71

Albertsson, A.-C., Barenstedt, C. and Karlsson, S.
Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Araki, T., see Hosoya, K. 690(1995)21

Aue, W.A., see Singh, H. 690(1995)103

Bada, J.L., see Zhao, M. 690(1995)55

Barenstedt, C., see Albertsson, A.-C. 690(1995)207

Barron, D., see Lübke, M. 690(1995)41

Blanch, G.P., see Ramos, L. 690(1995)243

Cacho, J., see Nerín, C. 690(1995)230

Cao, X.-L. and Hewitt, C.N.
Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Caron, F., see Manni, G. 690(1995)237

Chan, K.C., Muschik, G.M., Issaq, H.J. and Siiteri, P.K.
Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Cox, G.B., see Kopaciewicz, W. 690(1995)9

El-Yazigi, A., Wahab, F.A. and Afrane, B.
Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71

Fréchet, J.M.J., see Hosoya, K. 690(1995)21

Gandul-Rojas, B., see Mínguez-Mosquera, M.I. 690(1995)161

Gifford, L.A., see Liu, B. 690(1995)250

Glerum, C., see Kim, Y.T. 690(1995)226

González, M.J., see Ramos, L. 690(1995)243

Goto, M., Imamura, T. and Hirose, T.
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Hansen, P. and Lindeberg, G.
Importance of the α-amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Hawthorne, S.B., see Yang, Y. 690(1995)131

Hernández, L., see Ramos, L. 690(1995)243

Hewitt, C.N., see Cao, X.-L. 690(1995)187

Hickie, D., see Kim, Y.T. 690(1995)226

Hirose, T., see Goto, M. 690(1995)1

Hosoya, K., Kishii, Y., Kimata, K., Araki, T., Tanaka, N., Svec, F. and Fréchet, J.M.J.
Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Imamura, T., see Goto, M. 690(1995)1

Issaq, H.J., see Chan, K.C. 690(1995)149

Karlsson, S., see Albertsson, A.-C. 690(1995)207

Kellard, E., see Kopaciewicz, W. 690(1995)9

Kim, Y.T., Glerum, C., Noland, T.L. and Hickie, D.
Use of Sep-Pak C_{18} cartridges to clean up free amino acids from coniferous needles 690(1995)226

Kimata, K., see Hosoya, K. 690(1995)21

Kishii, Y., see Hosoya, K. 690(1995)21

Kopaciewicz, W., Kellard, E. and Cox, G.B.
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Lee, C.-S., see Ting, K.-C. 690(1995)119

Le Quéré, J.-L., see Lübke, M. 690(1995)41

Lindeberg, G., see Hansen, P. 690(1995)155

Liu, B., Lockwood, G.B. and Gifford, L.A.
Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250

Lockwood, G.B., see Liu, B. 690(1995)250

Lübke, M., le Quéré, J.-L. and Barron, D.
Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

Manni, G. and Caron, F.
Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Miller, D.J., see Yang, Y. 690(1995)131

Millier, B., see Singh, H. 690(1995)103

Mínguez-Mosquera, M.I. and Gandul-Rojas, B.
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Muschik, G.M., see Chan, K.C. 690(1995)149

Nakamura, H., see Sumiyoshi, K. 690(1995)77

Nerín, C., Salafranca, J., Cacho, J. and Rubio, C.
Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Nickless, G., see Trigg, D.P. 690(1995)197

Nishikawa, Y. and Okumura, T.
Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Noland, T.L., see Kim, Y.T. 690(1995)226

Okumura, T., see Nishikawa, Y. 690(1995)109

Perrin, S.R., see Welch, C.J. 690(1995)218

Potaman, V.N. and Soyfer, V.N.
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Ramos, L., Blanch, G.P., Hernández, L. and González, M.J.
Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation–solvent extraction at normal pressure 690(1995)243

Author Index

Afrane, B., see El-Yazigi, A. 690(1995)71

Albertsson, A.-C., Barenstedt, C. and Karlsson, S.
Solid-phase extraction and gas chromatographic–mass spectrometric identification of degradation products from enhanced environmentally degradable polyethylene 690(1995)207

Araki, T., see Hosoya, K. 690(1995)21

Aue, W.A., see Singh, H. 690(1995)103

Bada, J.L., see Zhao, M. 690(1995)55

Barenstedt, C., see Albertsson, A.-C. 690(1995)207

Barron, D., see Lübke, M. 690(1995)41

Blanch, G.P., see Ramos, L. 690(1995)243

Cacho, J., see Nerín, C. 690(1995)230

Cao, X.-L. and Hewitt, C.N.
Gas chromatographic determination of volatile alkenes with on-column bromination and electron-capture detection 690(1995)187

Caron, F., see Manni, G. 690(1995)237

Chan, K.C., Muschik, G.M., Issaq, H.J. and Siiteri, P.K.
Separation of estrogens by micellar electrokinetic chromatography 690(1995)149

Cox, G.B., see Kopaciewicz, W. 690(1995)9

El-Yazigi, A., Wahab, F.A. and Afrane, B.
Stability study and content uniformity of prochlorperazine in pharmaceutical preparations by liquid chromatography 690(1995)71

Fréchet, J.M.J., see Hosoya, K. 690(1995)21

Gandul-Rojas, B., see Mínguez-Mosquera, M.I. 690(1995)161

Gifford, L.A., see Liu, B. 690(1995)250

Glerum, C., see Kim, Y.T. 690(1995)226

González, M.J., see Ramos, L. 690(1995)243

Goto, M., Imamura, T. and Hirose, T.
Axial dispersion in liquid magnetically stabilized fluidized beds 690(1995)1

Hansen, P. and Lindeberg, G.
Importance of the α-amino group in the selective purification of synthetic histidine peptides by immobilised metal ion affinity chromatography 690(1995)155

Hawthorne, S.B., see Yang, Y. 690(1995)131

Hernández, L., see Ramos, L. 690(1995)243

Hewitt, C.N., see Cao, X.-L. 690(1995)187

Hickie, D., see Kim, Y.T. 690(1995)226

Hirose, T., see Goto, M. 690(1995)1

Hosoya, K., Kishii, Y., Kimata, K., Araki, T., Tanaka, N., Svec, F. and Fréchet, J.M.J.
Uniform-size hydrophobic polymer-based separation media selectively modified with a hydrophilic external polymeric layer 690(1995)21

Imamura, T., see Goto, M. 690(1995)1

Issaq, H.J., see Chan, K.C. 690(1995)149

Karlsson, S., see Albertsson, A.-C. 690(1995)207

Kellard, E., see Kopaciewicz, W. 690(1995)9

Kim, Y.T., Glerum, C., Noland, T.L. and Hickie, D.
Use of Sep-Pak C_{18} cartridges to clean up free amino acids from coniferous needles 690(1995)226

Kimata, K., see Hosoya, K. 690(1995)21

Kishii, Y., see Hosoya, K. 690(1995)21

Kopaciewicz, W., Kellard, E. and Cox, G.B.
High velocity reversed-phase chromatography of proteins and peptides: use of conventional C18, 300 Å, 15 μm particles 690(1995)9

Lee, C.-S., see Ting, K.-C. 690(1995)119

Le Quéré, J.-L., see Lübke, M. 690(1995)41

Lindeberg, G., see Hansen, P. 690(1995)155

Liu, B., Lockwood, G.B. and Gifford, L.A.
Supercritical fluid extraction of diosgenin from tubers of *Dioscorea nipponica* 690(1995)250

Lockwood, G.B., see Liu, B. 690(1995)250

Lübke, M., le Quéré, J.-L. and Barron, D.
Normal-phase high-performance liquid chromatography of volatile compounds. Selectivity and mobile phase effects on polar bonded silica 690(1995)41

Manni, G. and Caron, F.
Calibration and determination of volatile fatty acids in waste leachates by gas chromatography 690(1995)237

Miller, D.J., see Yang, Y. 690(1995)131

Millier, B., see Singh, H. 690(1995)103

Mínguez-Mosquera, M.I. and Gandul-Rojas, B.
High-performance liquid chromatographic study of alkaline treatment of chlorophyll 690(1995)161

Muschik, G.M., see Chan, K.C. 690(1995)149

Nakamura, H., see Sumiyoshi, K. 690(1995)77

Nerín, C., Salafranca, J., Cacho, J. and Rubio, C.
Separation of polymer and on-line determination of several antioxidants and UV stabilizers by coupling size-exclusion and normal-phase high-performance liquid chromatography columns 690(1995)230

Nickless, G., see Trigg, D.P. 690(1995)197

Nishikawa, Y. and Okumura, T.
Determination of nitrilotriacetic acid and ethylenediaminetetraacetic acid in environmental samples as their methyl ester derivatives by gas chromatography–mass spectrometry 690(1995)109

Noland, T.L., see Kim, Y.T. 690(1995)226

Okumura, T., see Nishikawa, Y. 690(1995)109

Perrin, S.R., see Welch, C.J. 690(1995)218

Potaman, V.N. and Soyfer, V.N.
Oligonucleotide model with non-identical complementary strands for chromatographic studies of structure-dependent photosusceptibility 690(1995)65

Ramos, L., Blanch, G.P., Hernández, L. and González, M.J.
Recoveries of organochlorine compounds (polychlorinated biphenyls, polychlorinated dibenzo-*p*-dioxins and polychlorinated dibenzofurans) in water using steam distillation–solvent extraction at normal pressure 690(1995)243

Rubio, C., see Nerín, C. 690(1995)230
Rykowska, I., see Wasiak, W. 690(1995)83
Salafranca, J., see Nerín, C. 690(1995)230
Santiuste, J.M.
Prediction of specific retention volumes in gas chromatography by using Kováts and molecular structural coefficients 690(1995)177
Schügerl, K.
Separations for Biotechnology 3 (edited by D.L. Pyle) (Book Review) 690(1995)256
Scopes, R.K.
Recovery Processes for Biological Materials (edited by J.F. Kennedy and J.M.S. Cabral) (Book Review) 690(1995)254
Sellergren, B. and Shea, K.J.
Origin of peak asymmetry and the effect of temperature on solute retention in enantiomer separations on imprinted chiral stationary phases 690(1995)29
Semenova, O.P., see Timerbaev, A.R. 690(1995)141
Shea, K.J., see Sellergren, B. 690(1995)29
Siiteri, P.K., see Chan, K.C. 690(1995)149
Simmonds, P.G., see Trigg, D.P. 690(1995)197
Singh, H., Millier, B. and Aue, W.A.
Constant-current a.c. electron-capture detector 690(1995)103
Soyfer, V.N., see Potaman, V.N. 690(1995)65
Sumiyoshi, K., Yagi, T. and Nakamura, H.
Determination of cyanide by high-performance liquid chromatography using postcolumn derivatization with *o*-phthalaldehyde 690(1995)77
Svec, F., see Hosoya, K. 690(1995)21
Tanaka, N., see Hosoya, K. 690(1995)21
Timerbaev, A.R. and Semenova, O.P.
Theoretical estimation of capillary zone electrophoresis behaviour of metal complexes using multivariate regression analysis 690(1995)141
Ting, K.-C. and Lee, C.-S.
Gas chromatographic determination of triclopyr in fruits and vegetables 690(1995)119
Trigg, D.P., Simmonds, P.G. and Nickless, G.
Gas chromatographic determination of volatile alkenes by on-column bromination and electron-capture detection 690(1995)197
Voelkel, A., see Wasiak, W. 690(1995)83
Wahab, F.A., see El-Yazigi, A. 690(1995)71
Wasiak, W.
Chemically bonded chelates as selective complexing sorbents for gas chromatography. III. Silica chemically modified by N-benzoylthiourea groups 690(1995)93
Wasiak, W., Voelkel, A. and Rykowska, I.
Physico-chemical characterization of chemically bonded stationary phases including metal complexes by inverse gas chromatography 690(1995)83
Welch, C.J. and Perrin, S.R.
Improved chiral stationary phase for β-blocker enantioseparations 690(1995)218
Yagi, T., see Sumiyoshi, K. 690(1995)77
Yang, Y., Hawthorne, S.B. and Miller, D.J.
Estimating flow-rates for sub- and supercritical fluid extractions with linear restrictors 690(1995)131
Zhao, M. and Bada, J.L.
Determination of α-dialkylamino acids and their enantiomers in geological samples by high-performance liquid chromatography after derivatization with a chiral adduct of *o*-phthaldialdehyde 690(1995)55